

# **NEODENE** 16/18

# **TECHNICAL DATASHEET**

Higher Olefins

Updated: September 2019 SICC Product Code: V1152

## **Description:**

• NEODENE 16/18 Linear Alpha Olefin is a blend of a high purity 1-hexadecene and 1-octadecene made by the Shell Higher Process (SHOP) by the oligomerization of ethylene.

| Typical Chemical Properties a | Property               | Unit  | Value              | Method     |
|-------------------------------|------------------------|-------|--------------------|------------|
|                               | C14 and lower          | %m/m  | < 3                | SMS2895    |
|                               | C16                    | %m/m  | 50 - 60            | SMS2895    |
|                               | C18                    | %m/m  | 37 - 47            | SMS2895    |
|                               | C20 and higher         | %m/m  | < 3                | SMS2895    |
|                               | Total n-Alpha Olefins  | %m/m  | > 93               | SMS2895    |
|                               | Total Branched Olefins | %m/m  | < 5                | SMS2895    |
|                               | Total Internal Olefins | %m/m  | < 2.5              | SMS2895    |
|                               | Total Paraffins        | %m/m  | < 0.2              | SMS2895    |
|                               | Total Mono Olefins     | %m/m  | > 99               | SMS2895    |
|                               | Appearance             |       | CSFVI <sup>b</sup> | Visual     |
|                               | Color, Pt-Co           |       | < 10               | ASTM D1209 |
|                               | Water                  | mg/kg | < 100              | ASTM E1064 |

a: An official sales specification is available from your local Shell Chemicals representative.

b: Clear & Substantially free of visual impurities

|                                | Property                   | Unit  | Value         |
|--------------------------------|----------------------------|-------|---------------|
| Typical Physical<br>Properties | Density @ 20°C             | kg/L  | 0.781 - 0.787 |
|                                | Boiling Point Range        | °C    | 270 - 324     |
|                                | Flash Point                | °C    | 130           |
|                                | Freezing Point             | °C    | 12            |
|                                | Kinematic Viscosity @ 20°C | mm²/s | 3 - 3.3       |

#### Storage and Handling

NEODENE Alpha Olefins can be supplied with or without antioxidant as requested. Advice on the storage and handling of NEODENE and SHOP Linear Alpha Olefins can be found in the Safety Data Sheet on our website at <a href="https://www.shell.com/chemicals/sds">www.shell.com/chemicals/sds</a> or by contacting your local Shell Chemicals Representative.

#### Hazard Identification

Alpha Olefins are potentially hazardous material; everyone concerned with handling it must be conversant with the nature of the hazards and trained in the recommended handling procedures for both normal and emergency situations. Before handling the product, refer to the Safety Data Sheet

### Emergency Helpline

For emergency telephone numbers refer to the Safety Data Sheet relevant for your company's country and language.

#### Shell Warranties

The expression 'Shell Chemicals' refers to the companies of Royal Dutch / Shell Group which are engaged in chemical businesses. Each of the companies which make up the Royal Dutch / Shell Group of companies is an independent entity and has its own separate identity.

The information contained in this publication is to the best of our knowledge, true and accurate, but any recommendations or suggestions that may be made are without guarantee, since the conditions of use are beyond our control. Furthermore, nothing contained herein shall be construed as a recommendation to use any product in conflict with existing patents covering any material or its use.

NEODENE is a Shell trademark.