

# NEODENE® 8910 IO

# Higher Olefins

Issued: January 2017

SICC Product Code: V1271

### Description:

NEODENE® 8910 IO contains C8, C9 and C10 olefin isomers produced by the Shell Higher Olefins Process (SHOP) by the oligomerisation of ethylene.

|                               | Property     | Unit  | Value              | Method     |
|-------------------------------|--------------|-------|--------------------|------------|
| Typical Chemical Properties a | C7 & Lower   | %m/m  | 0.0 – 1.5          | SMS 2976   |
|                               | C8           | %m/m  | 13 – 23            | SMS 2976   |
|                               | C9           | %m/m  | 37 – 47            | SMS 2976   |
|                               | C10          | %m/m  | 33 – 47            | SMS 2976   |
|                               | C11 & Higher | %m/m  | 0.0 – 1.5          | SMS 2976   |
|                               | Appearance   |       | CSFVI <sup>b</sup> | Visual     |
|                               | Color, Pt-Co |       | 0 – 10             | ASTM D1209 |
|                               | Water        | mg/kg | 0 – 100            | ASTM E1064 |

a: An official sales specification is available from your local Shell Chemicals representative.

b: Clear & Substantially free of visual impurities

|                  | Property                    | Unit  | Value  |
|------------------|-----------------------------|-------|--------|
| B                | Density @ 20 °C             | kg/l  | 0.734  |
| hysic            | Initial Boiling Point       | °C    | 136    |
| Typical Physical | Flashpoint                  | °C    | 27     |
| Typ              | Freezing point              | °C    | < - 50 |
|                  | Kinematic viscosity @ 20 °C | mm2/s | 0.9    |

# Storage and Handling

NEODENE® Internal Olefins can be supplied with or without antioxidant as requested. Advice on the storage and handling of NEODENE® can be found in the Safety Data Sheet on our website at www.shell.com/business-customers/chemicals/safe-product-handling-and-transportation/safety-data-sheets or by contacting your local Shell Chemicals Representative.

#### Hazard Identification

Internal Olefins are potentially hazardous material; everyone concerned with handling it must be conversant with the nature of the hazards and trained in the recommended handling procedures for both normal and emergency situations. Before handling the product refer to the Safety Data Sheet that is available on our website at www.shell.com/business-customers/chemicals/safe-product-handling-and-transportation/safety-data-sheets or by contacting your local Shell Chemicals Representative.

# **Emergency Helpline**

For emergency telephone numbers refer to the Safety Data Sheet relevant for your company's country and language.

### **Shell Warranties**

NEODENE® is a Shell trademark.

The expression 'Shell Chemicals' refers to the companies of Royal Dutch / Shell Group which are engaged in chemical businesses. Each of the companies which make up the Royal Dutch / Shell Group of companies is an independent entity and has its own separate identity.

The information contained in this publication is to the best of our knowledge, true and accurate, but any recommendations or suggestions that may be made are without guarantee, since the conditions of use are beyond our control. Furthermore, nothing contained herein shall be construed as a recommendation to use any product in conflict with existing patents covering any material or its use.