



# Methyl DIPROXITOL®

## TECHNICAL DATASHEET

Propylene Glycol Ethers  
SICC Product Code: U5139  
CAS Registry Number: 34590-94-8  
EC Number: 252-104-2

### Description

Methyl DIPROXITOL® is a colourless, hygroscopic, high boiling liquid with a mild odour. It is miscible in any proportion with water and many organic solvents and has good solvent power for nitrocellulose and dyestuffs.

### Typical Physical Properties

Property	Unit	Value	Method
Purity, min.	%m/m	98.5	GC
Water	%m/m	0.03	ASTM D1364
Acidity (as Acetic Acid)	%m/m	0.001	ASTM D1613
Density at 20°C	kg/l	0.954	ASTM D4052
Specific Gravity at 20°C/20°C	-	0.956	ASTM D4052
Specific Gravity at 25°C/25°C	-	0.952	ASTM D4052
Coefficient of Cubic Expansion at 20°C	10 <sup>-4</sup> /°C	10	Calculated
Refractive Index at 20°C	-	1.422	ASTM D1218
Colour	Pt-Co	< 5	ASTM D1209
Relative Evaporation rate (nBuAc=1)	-	0.04	ASTM D3539
Antoine Constant A <sup>#</sup>	kPa, °C	6.4589	-
Antoine Constant B <sup>#</sup>	kPa, °C	1681.78	-
Antoine Constant C <sup>#</sup>	kPa, °C	186.44	-
Antoine Constants: Temperature range	°C	-50 to +190	-

Notes:

#: In the Antoine temperature range, the vapour pressure P (kPa) at temperature T (°C) can be calculated by means of the Antoine equation:  $\log P = A - B/(T+C)$ .



## Typical Physical Properties

Property	Unit	Value	Method
Vapour Pressure @ 20°C	kPa	0.02	Calculated
Vapour Pressure @ 50°C	kPa	0.22	Calculated
Saturated Vapour Concentration @ 20°C	g/m <sup>3</sup>	1.2	Calculated
Boiling point	°C	191	-
Volatile Organic Compound (VOC)	g/l	954	EU/EPA
Flashpoint (Abel)	°C	80	IP 170
Auto Ignition Temperature	°C	205	ASTM E659
Lower Explosion Limit in Air	%v/v	1.3	-
Upper Explosion Limit in Air	%v/v	8.7	-
Electrical Conductivity at 20°C	pS/m	1*10 <sup>7</sup>	ASTM D4308
Dielectric Constant at 20°C	-	10.5	-
Freezing Point	°C	-83	-
Surface Tension @ 20°C	mN/m	29	-
Viscosity at 20°C	mPa.s	4.2	-
Hildebrand Solubility Parameter	(cal/cm <sup>3</sup> ) <sup>1/2</sup>	8.7	-
Hydrogen Bonding Index	-	0.0	-
Fraction Polarity	-	0.050	-
Heat of Vaporization at T <sub>boil</sub>	kJ/kg	306	-
Heat of Combustion (Net) at 25°C	kJ/kg	27500	-
Specific Heat at 20°C	kJ/kg/°C	1.96	-
Thermal Conductivity at 20°C	W/m/°C	0.11	-
Miscibility at 20°C: Solvent in water	%m/m	complete	-
Miscibility at 20°C: Water in solvent	%m/m	complete	-
Azeotrope with Water: Boiling Point	°C	99.2	-
Azeotrope with Water: Solvent Content	%m/m	8.0	-
Molecular Weight	g/mol	148	-



## Test Methods

Copies of copyrighted test methods can be obtained from the issuing organisations:

- American Society for Testing and Materials (ASTM)
- International Organization for Standardization (ISO)
- Deutsches Institut für Normung (DIN)

Shell Method Series (SMS) methods are issued by Shell Global Solutions International B.V., Shell Technology Centre, Amsterdam, The Netherlands. Requests for copies of SMS can be made through your local Shell Chemicals company.

N.B: For routine quality control local test methods may be applied. Such methods have been validated against those mentioned in this datasheet.

## Quality

Methyl DIPROXITOL® does not contain detectable quantities of polycyclic aromatics, heavy metals or chlorinated compounds.

## Hazard Information

For detailed Hazard Information please refer to the Safety Data Sheet.

Access Safety Data Sheets here: [Safety Data Sheets](#)

## Storage and Handling

Provided proper storage and handling precautions are taken we would expect Methyl DIPROXITOL® to be technically stable for at least 12 months. For detailed advice on Storage and Handling please refer to the Safety Data Sheet

## Shell Warranties

All products purchased or supplied by Shell chemicals companies are subject to the terms and conditions set out in the contract, order confirmation and/or bill of lading. All other information supplied by Shell chemicals companies, including that herein, is considered accurate but is furnished upon the express condition that the customer shall make its own assessment to determine a product's suitability for a particular purpose. Except as may be set forth in the applicable contract, order confirmation and/or bill of lading, Shell chemicals companies make no warranty, express or implied, including regarding any information supplied or the data upon which it is based or the results to be obtained from the use of such products or information, or concerning product, whether of satisfactory quality, merchantability, fitness for any particular purpose or otherwise, or with respect to intellectual property infringement as a result of use of information or products, and none shall be implied.



**Shell Chemicals**

The expression 'Shell Chemicals' refers to the companies of Shell Plc./Shell Group that are engaged in chemical businesses. Each of the companies that make up Shell Plc./Shell Group of companies is an independent entity and has its own separate identity.

DIPROXITOL is a Shell trademark

Learn more at [www.shell.com/chemicals](http://www.shell.com/chemicals)