

	Issued:					
Data Sheet	16-Mar-2007					
Product Name	Methyl PROXITOL					
Product Code	U5141					
Product Category	Propylene Glycol Ethers					
CAS Registry Number	107-98-2					
EINECS Number	203-539-1					
Alternate Name	1-methoxy-2-propanol, propylene glycol monomethyl ether, PGME, PM					
Description	Methyl PROXITOL is a colourless, hygroscopic solvent with a volatility, viscosity and solvent power similar to those of ethylene oxide-based glycol ethers, e.g. Methyl OXITOL and ethyl OXITOL.					
Typical Properties	Property	Unit	Method	Value		
	Purity	% m/m	DIN 55689	min. 99.5		
	Water	% m/m	ASTM D1364	0.05		
	Density @20°C	kg/L	ASTM D4052	0.921		
	Cubic Expansion Coefficient @20°C	(10^-4)/°C	Calculated	10		
	Refractive Index @20°C	-	ASTM D1218	1.403		
	Color	Pt-Co	ASTM D1209	< 5		
	Boiling Point	°C	-	120		
	Relative Evaporation Rate (nBuAc=1)	-	ASTM D3539	0.75		
	Relative Evaporation Rate (Ether=1)	-	DIN 53170	22		
	Antoine Constant A #	kPa, °C	-	7.01882		
	Antoine Constant B #	kPa, °C	-	1780.17		
	Antoine Constant C #	kPa, °C	-	236.322		
	Antoine Constants: Temperature range	°C	-	-30 to +130		
	Vapor Pressure @20°C	kPa	Calculated	1.2		
	Vapor Pressure @50°C	kPa	Calculated	6.3		
	Saturated Vapor Concentration @20°C	•	Calculated	44		
	Flash Point	°C	IP 1 <i>7</i> 0	30		
	Auto Ignition Temperature	°C	ASTM E659	290		

Explosion Limit: Lower

Explosion Limit: Upper

Electrical Conductivity @20°C

Dielectric Constant @20°C

%v/v

%v/v

μS/m

1.9

13.1

30

12.3

ASTM D4308

	Freezing Point	°C	_	-96			
	Surface Tension @20°C	mN/m	-	28			
	Viscosity @20°C	mPa.s	ASTM D445	1.9			
	Hildebrand Solubility Parameter	(cal/cm ³)^1/ ₂		9.5			
	Hydrogen Bonding Index	-	_	0.0			
	Fractional Polarity	-	-	0.110			
	Dilution Ratio: Toluene	-	ASTM D1720	4.0			
	Dilution Ratio: SBP 100/140	-	ASTM D1720	0.8			
	Heat of Vaporization @Tboil	kJ/kg	-	427			
	Heat of Combustion (Net) @25°C	kJ/kg	-	26000			
	Specific Heat @20°C	kJ/kg/°C	-	2.2			
	Thermal Conductivity @20°C	W/m/°C	-	0.18			
	Miscibility @20°C: Solvent in Water	% m/m	-	Complete			
	Miscibility @20°C: Water in Solvent	% m/m	-	Complete			
	Azeotrope with Water: Boiling Point	°C	-	96.5			
	Azeotrope with Water: Solvent Content		-	52.9			
	Molecular Weight	g/mol	-	90			
Test Methods	can be calculated by means of the Anto	(#) In the Antoine temperature range, the vapor pressure P (kPa) at temperature T (°C) can be calculated by means of the Antoine equation: log P = A - B/(T+C) Copies of copyrighted test methods can be obtained from the issuing organisations:					
	Energy Institute (IP)	American Society for Testing and Materials (ASTM Energy Institute (IP) Deutsches Institut für Normung (DIN)					
	different from those mentioned in thi	For routine quality control analyses, local test methods may be applied that are different from those mentioned in this datasheet. Such methods have been validated and can be obtained through your local Shell Chemicals company.					
Quality	Methyl PROXITOL can be supplied to 509 and DIN 55998.	Methyl PROXITOL can be supplied to meet the requirements of ASTM D4837, BS 509 and DIN 55998.					
Storage and Handling	Methyl PROXITOL to be technically s	Provided proper storage and handling precautions are taken we would expect Methyl PROXITOL to be technically stable for at least 12 months. For detailed advice on Storage and Handling please refer to the Material Safety Data Sheet on www.shell.com/chemicals.					
Hazard Information	For detailed Hazard Information plea www.shell.com/chemicals.	For detailed Hazard Information please refer to the Material Safety Data Sheet on www.shell.com/chemicals.					

Warranty

All products purchased or supplied by Shell Chemicals are subject to terms and conditions set out in the relevant contract, order acknowledgment and/or bill of lading. The relevant Shell company warrants that its product will meet those specifications designated as such herein or in other publications. All other information including that herein, supplied by Shell Chemicals is considered accurate but is furnished upon the express condition that the customer shall make its own assessment to determine the product's suitability for a particular purpose. Shell Chemicals make no other warranty either expressed or implied, regarding such other information, the data upon which the same is based, or the results to be obtained from use thereof; that any products shall be merchantable or fit for any purpose; or that the use of such other information or product will not infringe any patent.

"Shell Chemicals" collectively refers to the companies of the Shell Group engaged in the chemicals business, each of which is an independent entity and has its own separate identity.

Trademark

PROXITOL is a Shell Trademark.